



**User Guide for the 2019  
ACS NSQIP Pediatric  
Participant Use Data File (PUF)**

---

**American College of Surgeons National Surgical  
Quality Improvement Program - Pediatric**

Released:  
October 2020



**AMERICAN COLLEGE OF SURGEONS**  
*Inspiring Quality:  
Highest Standards, Better Outcomes*



## Contents

---

Section	Page
1. Introduction	1
2. Data Request Process	1
3. File Description	2
4. Data Collection Background and Data Quality	2
5. Sampling Process and Case Inclusion/Exclusion Criteria	3
6. Data Limitations	7
7. Contact Information	8
8. Frequently Asked Questions	8
9. Data Variables and Definitions	12



## 1. Introduction

This document is designed to accompany the 2019 Pediatric Participant Use Data File (PUF) available for download on the American College of Surgeons National Surgical Quality Improvement Program Pediatric (ACS NSQIP Pediatric) website ([www.facs.org/quality-programs/childrens-surgery/pediatric](http://www.facs.org/quality-programs/childrens-surgery/pediatric)). The sections contained herein will provide the user with information on how to request the Pediatric PUF, the contents of the data files, the data collection background, the inclusion and exclusion criteria for cases and hospitals, the data limitations, and the data point definitions and descriptions.

This user guide applies specifically to the 2019 Pediatric PUF. Hospitals utilizing the Pediatric PUF from a different year should refer to the user guide specifically tailored to that particular data set.

## 2. Data Request Process

An individual who has an official appointment at a fully enrolled Pediatric site and wants to obtain a copy of the Pediatric PUF can do so by visiting [www.facs.org/quality-programs/childrens-surgery/pediatric](http://www.facs.org/quality-programs/childrens-surgery/pediatric) and following the steps listed below:

1. From the ACS NSQIP Pediatric main page the requestor can click on “Request Participant Use Data File” link under Quality Support Tools.
2. Following a brief introduction, the requestor can click on “Request Data Set.”
3. This will take the requestor to the Data Use Agreement. This is a 3-page document that implements the data protections of the Health Insurance Portability and Accountability Act of 1996 (HIPAA) and the ACS NSQIP Hospital Participation Agreement. Delivery of the PUF is contingent on agreement to the terms and conditions specified within the Data Use Agreement. The requestor can read the Data Use Agreement from this page or download the 3-page document. The requestor is then required to type in their first and last name and click on “Request Data File.” By clicking on “Request Data File” the requestor agrees to the terms and conditions of the Data Use Agreement.
4. Requestors will then be required to complete a brief online form to provide ACS with basic information about themselves, including the participating hospital in which they are currently employed and in what capacity, as well as how the requestor plans on using the Pediatric PUF data. Once all of the required fields are completed, the requestor clicks “Submit.”
5. ACS NSQIP staff will review the request in a timely manner. Program contacts at participating sites will be contacted at this time to confirm the requestor’s affiliation with the hospital and confirm internal approval of the PUF request.

6. Following receipt and confirmation of the information submitted, an email will be sent to the requestor containing a username and password along with the URL to download the data. The web link will be active from the time of the email for 10 full days (240 hours).
7. The file will be available in 3 different formats (Text, SAS, SPSS) and depending on the connection speed should take between 5 and 30 minutes to download.
8. The requestor may be contacted to confirm receipt of the data file and allow for feedback on the delivery mechanism, data points contained, and data file format.

### 3. File Description

Each fall a Pediatric PUF will be made available for the previous calendar year’s data. The Pediatric PUF is available in 1 of 3 different formats – Text, SAS, and SPSS. The 2019 file contains 347 variables for each case, and a variable-by-variable description is provided starting on page 12. A brief description of the different formats follows:

File Name	Type	Uncompressed File Size	Description
ACS_PEDS_PUF_2019.txt	tab delimited TXT file	284 MB	Contains 347 HIPAA compliant variables on 132,881 cases submitted from 141 sites in 2019.
ACS_PEDS_PUF_2019.sas7bdat	SAS 9.4 data file	810 MB	Same information as stated above in SAS data format.
ACS_PEDS_PUF_2019.sav	SPSS 16.0 data file	544 MB	Same information as stated above in SPSS data format.

### 4. Data Collection Background and Data Quality

The ACS NSQIP Pediatric collects data on over 150 variables, including preoperative risk factors, intraoperative variables, and 30-day postoperative mortality and morbidity outcomes for patients undergoing major surgical procedures in both the inpatient and outpatient setting. A site’s trained and certified Surgical Clinical Reviewer (SCR) captures these data using a variety of methods including medical chart abstraction.

Required data variables are entered via web-based data collection to the ACS NSQIP Pediatric website. Portions of the data may be automatically populated by a software program that was developed to extract data from the participating hospital’s existing information systems.

Requestors should contact the SCR(s) at their hospital for detailed information on how the hospital collects its ACS NSQIP Pediatric data.

To ensure the data collected are of the highest quality, the ACS NSQIP Pediatric has developed a host of different training mechanisms for the SCRs and conducts a Data Audit of selected participating sites. In addition to an initial web-based training program, the ACS NSQIP Pediatric requires SCRs to complete a series of web-based training modules followed by a certification exam that must be taken annually. The modules and certification exam focus on the program, processes, and analysis; preoperative, intraoperative, and postoperative definitions; and case studies. These modules are complemented by a growing online decision support system that ensures the SCRs have the knowledge and resources available to collect high-quality data.

The Data Audit is a fundamental tool of ACS NSQIP Pediatric to assess the quality of the data collected at participating sites. The process involves the review of multiple charts, some of which are selected randomly, and others selected based on criteria designed to identify potential reporting errors. For example, cases with 5 or more preoperative risk factors and no reported mortality or morbidity or cases with 2 or fewer preoperative risk factors and reported mortality or morbidity will be selected for chart review. Operating room logs are also audited to ensure correct sampling of cases.

The combined results of the audits completed to date revealed an overall disagreement rate of approximately 2% for all assessed program variables. The ACS NSQIP Pediatric has determined that a Data Audit disagreement rate of 5% or less is acceptable. Sites that have higher than a 5% disagreement rate are not provided a hospital odds ratio in the ACS NSQIP Pediatric Semiannual Report and may be required to undergo an additional audit following recommendations from the ACS NSQIP Pediatric.

## **5. Sampling Process and Case Inclusion/Exclusion Criteria**

### ***Systematic Sampling Process***

Large surgical services normally experience a significant volume of surgical cases. This presents the SCRs with the problem of managing an overwhelming workload. Therefore, a systematic sampling system called the 8-day cycle was developed to prevent bias in choosing cases for assessment. The SCR uses the 8-day cycle to select completed cases from the hospital's final operative log. The final operative log includes any emergent, urgent or add-on procedures that were performed and excludes any scheduled procedures that were not performed. The operative log is sorted by the date of the operation, "Patient In Room" time, and finally Operating Room Suite Number. The 8-day cycle schedule works as follows: If the first cycle begins on a Monday, it continues through to include the following Monday (an 8-day period of time). The next cycle begins on Tuesday and continues through to include the following Tuesday, and so on. There are 46 8-day cycles in 1 year, and the program recommends that data be submitted for 40 of those

cycles. The process ensures that cases have an equal chance of being selected from each day of the week.

Hospitals with a high volume of surgical cases capture the first 35 consecutive cases meeting the inclusion/exclusion criteria in the 8-day cycle following the systematic sampling guidelines.

### *Case Inclusion Criteria*

The following inclusion criteria were applied to cases collected in 2019. For the current inclusion/exclusion criteria please contact the ACS NSQIP Pediatric Clinical Support Team at [clinicalsupport@pediatric.acsnsqip.org](mailto:clinicalsupport@pediatric.acsnsqip.org).

- The ACS NSQIP Pediatric includes all cases with CPT codes that are listed on the CPT inclusion list.

### *Case Exclusion Criteria*

The following exclusion criteria were applied to cases collected in 2019. For the current inclusion/exclusion criteria please contact the ACS NSQIP Pediatric Clinical Support Team at [clinicalsupport@pediatric.acsnsqip.org](mailto:clinicalsupport@pediatric.acsnsqip.org).

- Patients 18 years of age, or older.
- Cases involving Hyperthermic Intraperitoneal Chemotherapy (HIPEC), regardless of if the procedure performed has an included CPT code(s).
- ASA 6- (Declared brain-dead patient whose organs are being removed for donor purposes).
- Concurrent Case – An additional operative procedure performed by **a different surgical team** (e.g., a different specialty/service) **under the same anesthetic**. An additional operative procedure with a CPT code different from that of the Primary Procedure performed by a different surgical team under the same anesthetic is listed as a concurrent procedure. A concurrent procedure is not included in its own assessment.
- Multiple cases within 30 days – Multiple cases for the same patient within 30 days are excluded. (Only one case, per patient, per 30 day time frame can be abstracted for NSQIP-PEDs).
- Exclude a return to the operating room/ICU setting as the primary procedure, if it is related to an occurrence or complication from any procedure (surgical or otherwise) regardless of where the procedure was performed, within 30 days or within the same admission.
- Exclude a procedure performed by a surgical service not reviewed in Pediatric NSQIP.
- Transplant Cases – Specifically: A patient who is admitted to the hospital for organ transplant surgery, and has additional surgical procedures performed during the same hospital stay, is excluded. Any operation performed after the patient has been discharged from the transplant stay is included.



Trauma/Abuse Guidance January to June 2019

- Trauma Cases – Any injury with a principal ICD-10 diagnostic code within the ranges of S00-T14 and T20-T79 and T83-T85 is excluded from sampling as a trauma. \*Exception: Cases with an ICD-10 code in the range of T83-T85 can be abstracted in NSQIP if a trauma (e.g. motor vehicle accident, blunt force injury) did not cause the injury/malfunction.
  - Exclude any surgical procedure related to the index trauma procedure(s), which occur during the same hospitalization. Any operation performed after the patient has been discharged from the trauma stay will be included; if they meet NSQIP-PEDs program inclusion criteria. \*Exception to Trauma criteria: Include cases where there is an isolated limb section fracture and included CPT code.
- Abuse Cases – Any ICD 10 code within the range of V00-Y99 is excluded. Additionally, any subsequent surgical procedure that is a direct cause of child abuse is excluded.

Trauma/Abuse Guidance July to December 2019

- Trauma Cases – Any injury with a principal ICD-10 diagnostic code within the ranges of S00-T14 and T20-T79 and T83-T85 will be excluded from sampling as a trauma.
  - \*Exception: Cases with an ICD-10 code in the range of T83-T85 can be abstracted in NSQIP if a trauma (e.g. motor vehicle accident, blunt force injury) did not cause the injury/malfunction.
  - Exclude any surgical procedure related to the index trauma procedure(s), which occur during the same hospitalization. Any operation performed after the patient has been discharged from the trauma stay will be included; if they meet NSQIP-Pediatric program inclusion criteria.
  - Exception to Trauma criteria: Include cases where there is an isolated limb section fracture and included CPT code
- Abuse Cases – Any ICD 10 code within the range of V00-Y99 will be excluded. Additionally, exclude any subsequent surgical procedure that is a direct result of child abuse.

***Hospital Exclusion Criteria***

In addition to the case inclusion/exclusion criteria, hospital inclusion/exclusion criteria are also imposed. To maintain the highest level of data quality, only cases included in the odds ratio analysis are included in the Pediatric PUF. These cases go through an additional level of scrutiny as they are passed from data collection to statistical analysis. Sites that exhibit issues with either data quality or 30-day follow-up are reviewed for exclusion to ensure the integrity of PUF data.

### *Case Selection*

#### Step 1: Collect Procedure Targeted Cases with Procedure Specific Variables

- Once cases meeting criteria for inclusion have been identified, the Procedure Targeted cases with procedure specific variables are selected first, as they occur in consecutive order, utilizing the procedure targeted CPT list.
  - Each of these cases has a limit of 4 per 8-day cycle. These cases include:
    - Appendectomy
    - Spinal Fusion
    - CSF Shunt
    - Vesicoureteral Reflux
    - Tracheostomy

#### Step 2: Collect Procedure Targeted Cases without Procedure Specific Variables

- Next, all possible Procedure Targeted cases without procedure specific variables are selected, in consecutive order, utilizing the procedure targeted CPT list. The Procedure Targeted CPT Code Inclusion List is located in the appendices section of the Operations Manual.
- There is a 4 case per cycle limit for Gastrostomy and Laparoscopic Cholecystectomy procedures.

#### Step 3: Collect Surgical Specialty Cases

- If, after selecting all procedure targeted cases as outlined above, the cycle does not meet 35 cases, the hospital will now select all remaining surgical specialty cases, as they occurred in consecutive order, utilizing the Full CPT list.
- At this point in case selection, case limits on procedure targeted cases are still maintained (only four cases for appendectomy, spinal fusion, CSF shunt, vesicoureteral reflux, tracheostomy, gastrostomy and laparoscopic cholecystectomy).
- Collect all cases until reaching a total of 35 cases.

#### Step 4: Rounding Out Your Cases to Achieve 35 Cases per Cycle

- If less than 35 cases are abstracted for a cycle after a hospital selects all cases as described in steps 1-3 above, a hospital may opt to collect additional cases to round up to 35 cases utilizing the following process, or they may choose to identify the cycle as “Max cases” under the “Manage Cycles” section of the “My Account” tab in the Workstation.

- If the cycle does not total 35 cases after following the three previous steps, the hospital may opt to “Max Cases” or may continue to capture additional cases of the “limited procedures” Appendectomy, Spinal Fusion, CSF Shunt, VUR, Laparoscopic Cholecystectomy, Gastrostomy, and Tracheostomy, while still following the current sampling methodology (primary procedure, only one case per patient per 30 days, etc.).
- If the cycle still does not total 35 cases, the hospital will identify the cycle as “Max Cases” in the workstation.

## 6. Data Limitations

While every effort has been made to make the Pediatric PUF as complete as possible, the data do have certain limitations. Some of these limitations have been deliberately introduced to safeguard the privacy of patients (such as removal of absolute dates). Other limitations are due to resource constraints (such as the collection of generic surgical variables only). The following items represent the most salient limitations of the data:

- Because such a wide variety of operations are tracked, the variables are necessarily generic in nature. This limitation may pose difficulties for researchers attempting in-depth research on specific conditions or operations. However, surgical Targeted PUF datasets are now available which address target-specific predictors and outcomes for many types of operations.
- Patients are followed after surgery for a maximum of 30 days. Complications or death after that period are not included.
- In order to comply with HIPAA requirements, all absolute dates have been removed. The most critical of these is the date of surgery, which has been reduced to year of surgery only. Some dates (hospital entry, dates of laboratory tests, and so on) have been recoded into durations e.g. Date of Admission and Date of Discharge is recoded into Hospital Length of Stay.
- In order to comply with the Hospital Participation Agreement (HPA) that is agreed to between the ACS and participating sites, facility identifiers as well as geographic information regarding the case have been removed. The HPA stipulates that the ACS does not identify participating sites. Site identification could be possible even with blinded identifiers through advanced statistics. A stipulation of access to the Pediatric PUF is completion of the Data Use Agreement that strictly prohibits attempts to identify hospitals, health care providers, or patients.

- While many risk factors are tracked, preventative measures are not recorded which can lead to an overestimation of the risk of certain conditions when such measures are routinely taken before surgery.
- The data are submitted from hospitals that are participating in the ACS NSQIP Pediatric and do not represent a statistically valid nationally representative sample.
- Most patients do not receive all possible preoperative laboratory tests, so some of these variables have a high percentage of missing values (53% to 87%, depending on the tests). This high percentage of missing data can make it problematic to use these variables in a traditional logistic regression model as well as in many other types of analysis.

This list may not include all data limitations and additional limitations may apply in future versions of the data.

## 7. Contact Information

All questions about the Pediatric User Guide or Pediatric PUF, as well as comments and suggestions for improvements are welcome and may be directed to Brian Matel, ACS NSQIP Statistical Reports Manager via email at [bmatel@facs.org](mailto:bmatel@facs.org).

## 8. Frequently Asked Questions

### *Request Process*

Q: Who has access to this file?

A: Any individual with an official appointment at a fully participating pediatric site will be given access to the file following completion of the Data Use Agreement and a short set of questions that are available on the website.

Q: Is the file available to individuals from nonparticipating sites?

A: At this time the data files are only available to individuals with official appointments at fully participating pediatric sites.

Q: I am at a pediatric NSQIP-participating site and would like to work on a research project with others from a different site that is not participating. Will I be allowed to do that?

A: Yes, however, the NSQIP affiliated researcher must be the lead investigator on all PUF-based research projects and is responsible for the PUF dataset, even if forwarded to someone else. The non-participating collaborator must also sign the DUA.

Q: How do I obtain a copy of this file?

A: Please see the “Data Request Process” on page 1 of this document for a step-by-step approach on how to do so.

### *Contents of the Files*

Q: What is in this file?

A: The file contains Health Insurance Portability and Accountability Act (HIPAA) de-identified data from sites participating in the ACS NSQIP Pediatric that received risk-adjusted reports in 2019. The variable name, variable label, data definition, and other pertinent information are provided in Section 9: Data Variables and Definitions.

Q: Are other Pediatric PUF data sets available?

A: There are 17 other Pediatric PUFs available for request / download:

<b>PUF Year</b>	<b>PUF Type</b>	<b>Cases</b>	<b>Sites</b>
2012	Pediatrics	51,008	50
2013	Pediatrics	63,387	56
2014	Pediatrics	68,838	64
2015	Pediatrics	84,056	80
2015	Appendectomy	10,570	20
2016	Pediatrics	101,887	101
2016	Appendectomy	13,114	101
2016	Spinal Fusion	3,728	93
2016	CSF Shunt	1,452	96
2017	Pediatrics	113,922	109
2017	Appendectomy	14,463	106
2017	Spinal Fusion	4,260	98
2017	CSF Shunt	1,128	102
2018	Pediatrics	119,486	127
2018	Appendectomy	16,986	122
2018	Spinal Fusion	5,333	112
2018	CSF Shunt	1,493	115

Q: Are site identifiers included in the database?

A: At this time we do not provide any geographic or site-specific identification. We took this approach to ensure the privacy of both the participating sites and surgeons.

Q: Are there surgeon-specific identifiers included in the database?

A: At this time we do not provide any surgeon-specific information. We took this approach to ensure the privacy of both the participating sites and surgeons.

Q: Why does the Pediatric PUF exclude specific dates?

A: In order to release the Pediatric PUF, certain adjustments to the data are required to ensure proper protection of patient information. To meet these requirements, we remove all elements of dates (except admission year) for dates directly related to an individual. For more information on the 18 data elements that are required for removal, please visit <https://privacyruleandresearch.nih.gov/> or [https://privacyruleandresearch.nih.gov/pdf/HIPAA\\_Booklet\\_4-14-2003.pdf](https://privacyruleandresearch.nih.gov/pdf/HIPAA_Booklet_4-14-2003.pdf).

Q: The ACS NSQIP Pediatric program collects approximately 150 variables, but the database contains approximately 350 variables. What are the additional variables?

A: The additional variables contained in the Pediatric PUF relate to computed durations. For example, the admission and discharge dates are used to calculate hospital length of stay. In addition, each complication in the ACS NSQIP Pediatric requires the use of 3 different variables in the database. There are a few other data elements collected in the ACS NSQIP Pediatric that require multiple variables in the database.

### ***Values in the Data***

Q: Why do some cases have complications that do not have a known duration from operation to complication?

A: In each of these cases, the date of the complication was invalid, which inhibited the calculation of duration. The number of days from operation to complication variable is coded as -99 for these cases.

Q: Why do some of the preoperative lab values have duration from lab to operation, but a value of -99 for the lab value?

A: The results of the lab tests can be entered manually and thus are susceptible to data entry error. Depending on the preoperative lab variable roughly 1% of the cases had invalid values and these invalid values were set to -99 to simplify analysis. It is also possible that some cases have valid lab values, but are missing duration from lab to operation variable. This discrepancy is also related to a data entry error and the program continues to improve the data collection software to minimize the potential for data entry errors.

Q: When performing analysis on the five digit CPT codes in the Other and Concurrent variables, how should I interpret those cases with a valid 5 digit CPT code but a CPT description set to NULL?

A: If the case has a valid 5 digit CPT code that procedure occurred and should be evaluated as such. The CPT description is a secondary variable and provided for convenience. In the processing of large amounts of data some descriptions are purposefully or inadvertently removed.

***File Formats***

Q: In what file formats are the data available?

A: The data files are made available in a tab delimited TXT, SAS, and SPSS formats.

Advisement: When a change in definitions across PUF years is noted, users should attend to this if they merge files. It is suggested that they evaluate variable categories across years and combine them in a manner appropriate to their research objectives

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
1	PUFYEAR	Num	Year of PUF	* Year of PUF		
2	CaseID	Num	Case Identification Number	Variable Name:Identification Number MRN/IDN		
3	AGE_DAYS	Num	Age of Patient at Time of Surgery (days)	Variable Name:Date of Birth		
4	SEX	Char	Sex	Variable Name:Sex	Male	NULL = No Response
					Female	
					Non-binary	
5	RACE	Char	Race	Variable Name:Race	White	NULL = No Response
					Black or African American	
					American Indian or Alaska Native	
					Native Hawaiian or Pacific Islander	
					Asian	
Unknown/Not Reported						
6	ETHNICITY_HISPANIC	Char	Hispanic Ethnicity	Variable Name:Hispanic Ethnicity	Yes; No; Unknown	NULL = No Response
7	CPT	Char	CPT	Variable Name:Primary Procedure		
8	PRNCPTX	Char	Primary Procedure	Variable Name:Primary Procedure		
9	WORKRVU	Num	Work Relative Value Unit	* Work Relative Value Unit		
10	LAPTHOR	Char	Laparoscopic/MIS Procedure	Variable Name:Laparoscopic/MIS Procedure	Laparoscopic/MIS only	NULL = No Response
					Laparoscopic/MIS and Open	
					Open only or N/A	
11	LAPTHOR_MIS	Char	Laparoscopic/MIS Code	Variable Name:Laparoscopic /MIS Code	N/A	NULL = No Response
					43659	
					Other	
12	INOUT	Char	Inpatient/Outpatient	Variable Name:In/Out-Patient Status	Inpatient; Outpatient	NULL = No Response
13	ADMYR	Num	Year of Admission	Variable Name:Hospital Admission Date/Time		-99 = No Response
14	TRANST	Char	Transfer Status/Origin Status	Variable Name:Transfer Status/Origin Status	Admitted from home/clinic/doctor's office	NULL = No Response
					Admitted through ER, including outside ER with direct hospital admission	
					Transferred from outside hospital (NICU, PICU, Inpatient on General floor, Adult ICU)	
					Chronic care/Rehab/Intermediate Care/Spinal Cord	
					Other	
15	OPERYR	Num	Year of Operation	Variable Name:Operation Date		
16	HtoODay	Num	Days from Hospital Admission to Operation	* Days from Hospital Admission to Operation		-99 = No Response
17	ANESTECH	Char	Principal Anesthesia Technique	Variable Name:Principal Anesthesia Technique	General – (including IV anesthesia with intubation or Laryngeal Mask Airway (LMA)	NULL = No Response
					Spinal	
					Epidural	
					Caudal	
					Regional	
					Local – (usually performed by the surgeon)	
					None	
					Other	
					Unknown	



Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
18	SURGSPEC	Char	Surgical Specialty	Variable Name:Surgical Specialty	Pediatric Cardiovascular-Thoracic Pediatric Neurosurgery Pediatric Orthopedic Surgery Pediatric Otolaryngology (ENT) Pediatric Surgery Pediatric Urology Pediatric Plastics Plastics Cardiovascular-Thoracic General Surgery Gynecology Neurosurgery Orthopedics Otolaryngology (ENT) Urology	
19	HEIGHT	Num	Height/Length at Surgery (in)	Variable Name:Height/Length		-99 = No Response Units converted to inches
20	WEIGHT	Num	Weight at Surgery (lbs)	Variable Name:Weight		-99 = No Response Units converted to lbs
21	DNR	Char	Do Not Resuscitate (DNR) Status	Variable Name:DNR Status	Yes; No	NULL = No Response
22	PREM_BIRTH	Char	Premature Birth	Variable Name:Premature Birth	No Less than 24 completed weeks gestation 24 completed weeks gestation 25-26 completed weeks gestation 27-28 completed weeks gestation 29-30 completed weeks gestation 31-32 completed weeks gestation 33-34 completed weeks gestation 35-36 completed weeks gestation Unknown	NULL = No Response
23	VENTILAT	Char	Ventilator Dependence	Variable Name:Ventilator Dependence	Yes; No	NULL = No Response
24	ASTHMA	Char	History of Asthma	Variable Name:History of Asthma	Yes; No	NULL = No Response
25	HXCLD	Char	Bronchopulmonary Dysplasia/Chronic Lung Disease	Variable Name:Bronchopulmonary Dysplasia/Chronic Lung Disease	Yes; No	NULL = No Response
26	OXYGEN_SUP	Char	Oxygen Support	Variable Name:Oxygen Support	Yes; No	NULL = No Response
27	TRACHEOSTOMY	Char	Tracheostomy	Variable Name:Tracheostomy	Yes; No	NULL = No Response
28	STRUCT_PULM_AB	Char	Structural Pulmonary/Airway Abnormalities	Variable Name:Structural Pulmonary/Airway Abnormalities	Yes; No	NULL = No Response
29	ESOVAR	Char	Esophageal/Gastric/Intestinal Disease	Variable Name:Esophageal/Gastric/Intestinal Disease	Yes; No	NULL = No Response
30	PRVPCS	Char	Previous Cardiac Surgery	Variable Name:Previous Cardiac Surgery/Cardiac Intervention	Yes; No	NULL = No Response
31	CRF	Char	Cardiac Risk Factors	Variable Name:Cardiac Risk Factors	No cardiac risk factors Minor cardiac risk factors Major cardiac risk factors Severe cardiac risk factors	NULL = No Response
32	CRD_ICD9_1	Char	Cardiac ICD9 - 1	Variable Name:Cardiac Code		NULL = No Response
33	CRD_ICD9_2	Char	Cardiac ICD9 - 2	Variable Name:Cardiac Code		NULL = No Response
34	CRD_ICD9_3	Char	Cardiac ICD9 - 3	Variable Name:Cardiac Code		NULL = No Response
35	CRD_ICD9_4	Char	Cardiac ICD9 - 4	Variable Name:Cardiac Code		NULL = No Response
36	CRD_ICD9_5	Char	Cardiac ICD9 - 5	Variable Name:Cardiac Code		NULL = No Response
37	CRD_ICD9_6	Char	Cardiac ICD9 - 6	Variable Name:Cardiac Code		NULL = No Response
38	CRD_ICD9_7	Char	Cardiac ICD9 - 7	Variable Name:Cardiac Code		NULL = No Response
39	CRD_ICD9_8	Char	Cardiac ICD9 - 8	Variable Name:Cardiac Code		NULL = No Response
40	CRD_ICD9_9	Char	Cardiac ICD9 - 9	Variable Name:Cardiac Code		NULL = No Response
41	CRD_ICD9_10	Char	Cardiac ICD9 - 10	Variable Name:Cardiac Code		NULL = No Response
42	CRD_ICD10_1	Char	Cardiac ICD10 - 1	Variable Name:Cardiac Code		NULL = No Response
43	CRD_ICD10_2	Char	Cardiac ICD10 - 2	Variable Name:Cardiac Code		NULL = No Response

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
44	CRD_ICD10_3	Char	Cardiac ICD10 - 3	Variable Name:Cardiac Code		NULL = No Response
45	CRD_ICD10_4	Char	Cardiac ICD10 - 4	Variable Name:Cardiac Code		NULL = No Response
46	CRD_ICD10_5	Char	Cardiac ICD10 - 5	Variable Name:Cardiac Code		NULL = No Response
47	CRD_ICD10_6	Char	Cardiac ICD10 - 6	Variable Name:Cardiac Code		NULL = No Response
48	CRD_ICD10_7	Char	Cardiac ICD10 - 7	Variable Name:Cardiac Code		NULL = No Response
49	CRD_ICD10_8	Char	Cardiac ICD10 - 8	Variable Name:Cardiac Code		NULL = No Response
50	CRD_ICD10_9	Char	Cardiac ICD10 - 9	Variable Name:Cardiac Code		NULL = No Response
51	CRD_ICD10_10	Char	Cardiac ICD10 - 10	Variable Name:Cardiac Code		NULL = No Response
52	IMPCOGSTAT	Char	Developmental Delay/Impaired Cognitive Status	Developmental Delay	Yes; No	NULL = No Response
53	SEIZURE	Char	Seizure Disorder	Seizure Disorder	Yes; No	NULL = No Response
54	CEREBRAL_PALSY	Char	Cerebral Palsy	Cerebral Palsy	Yes; No	NULL = No Response
55	ACQ_ABNORMALITY	Char	Structural CNS Abnormality	Structural CNS Abnormality	Yes; No	NULL = No Response
56	NEUROMUSCDIS	Char	Neuromuscular Disorder	Neuromuscular Disorder	Yes; No	NULL = No Response
57	IVH_GRADE	Char	Intraventricular Hemorrhage (IVH) Grade	Intraventricular Hemorrhage (IVH) Grade	Grade 1 Grade 2 Grade 3 Grade 4 IVH reported, but no grade assigned No IVH reported	NULL = No Response
58	STEROID	Char	Steroid Use	Variable Name:Steroid Use	Yes; No	NULL = No Response
59	OSTOMY	Char	Ostomy	Variable Name:Ostomy	Yes; No	NULL = No Response
60	OSTOMY_TYPE	Char	Ostomy Type	Variable Name:Ostomy	Central Nervous System Thorax Upper Gastrointestinal Tract Lower Gastrointestinal Tract Urinary Tract	NULL = No Response Multi-select variable
61	WNDINF	Char	Open Wound/Wound Infection	Variable Name:Open Wound	Yes; No	NULL = No Response
62	NUTR_SUPPORT	Char	Nutritional Support	Variable Name:Nutritional Support	Yes; No	NULL = No Response
63	HEMODISORDER	Char	Hematologic Disorder	Variable Name:Hematologic Disorder	Yes; No	NULL = No Response
64	PRSEPSIS	Char	SIRS/Sepsis/Septic Shock Within 48 Hours Prior to Surgery	Variable Name:SIRS/Sepsis/Septic Shock	SIRS Sepsis Septic Shock None	NULL = No Response
65	INOTR_SUPPORT	Char	Inotropic Support at Time of Surgery	Variable Name:Inotropic Support at Time of Surgery	Yes; No	NULL = No Response
66	CPR_PRIOR_SURG	Char	Previous CPR Within 7 Days Prior to Surgery	Variable Name:Previous CPR	Yes; No	NULL = No Response
67	CONG_MALFORM	Char	Congenital Malformation	Variable Name:Congenital Malformations	Yes, Neonate < 1500 grams at the time of surgery Yes, Neonate >=1500 grams at the time of surgery or infant/child/teenager with a history of a congenital defect at the time of surgery No	NULL = No Response Only ICD-9 codes are accepted for Congenital Malformation
68	CM_ICD9_1	Char	Congenital Malformation ICD9 - 1	Variable Name:Congenital Malformations		NULL = No Response
69	CM_ICD9_2	Char	Congenital Malformation ICD9 - 2	Variable Name:Congenital Malformations		NULL = No Response
70	CM_ICD9_3	Char	Congenital Malformation ICD9 - 3	Variable Name:Congenital Malformations		NULL = No Response
71	CM_ICD9_4	Char	Congenital Malformation ICD9 - 4	Variable Name:Congenital Malformations		NULL = No Response
72	CM_ICD9_5	Char	Congenital Malformation ICD9 - 5	Variable Name:Congenital Malformations		NULL = No Response
73	CM_ICD9_6	Char	Congenital Malformation ICD9 - 6	Variable Name:Congenital Malformations		NULL = No Response
74	CM_ICD9_7	Char	Congenital Malformation ICD9 - 7	Variable Name:Congenital Malformations		NULL = No Response
75	CM_ICD9_8	Char	Congenital Malformation ICD9 - 8	Variable Name:Congenital Malformations		NULL = No Response
76	CM_ICD9_9	Char	Congenital Malformation ICD9 - 9	Variable Name:Congenital Malformations		NULL = No Response
77	CM_ICD9_10	Char	Congenital Malformation ICD9 - 10	Variable Name:Congenital Malformations		NULL = No Response
78	TRANSFUS	Char	Blood transfusions Within 48 Hours Prior to Surgery	Variable Name:RBC Transfusions	Yes; No	NULL = No Response
79	MALIGNANCY	Char	Childhood Malignancy	Variable Name:Childhood Malignancy	Past history of cancer Current cancer or active treatment of cancer No current or prior history of cancer	NULL = No Response

ACS NSQIP PEDIATRIC 2019 PUF USER GUIDE | OCTOBER 2020

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
80	NEONATE_TYPE	Char	Neonate Type	Variable Name:Neonate Type at Birth	Term Neonate (28 days old or younger born at 37 weeks complete gestation) Premature Neonate (up to 50 weeks post conceptual age born less than 37 weeks of completed gestation)	NULL = No Response
81	GESTATIONALAGE_BIRTH	Num	Gestational Age at Birth (weeks)	Variable Name:Gestational Age at Birth (in weeks)		-99 = No Response
82	GESTATIONALAGE_SURGERY	Num	Gestational Age at Surgery (weeks)	* Patient's post-conceptual age in weeks at time of surgery		-99 = No Response
83	NEONATE	Char	Neonate at Time of Surgery	* "YES" is entered when "Neonate Type" is "Term neonate" and operation date is <29 days after date of birth OR "Neonate Type" is "Premature neonate" and "Gestational Age At Surgery" is <51 weeks	Yes; No	NULL = No Response
84	SM_GESTATIONALAGE	Char	Small for Gestational Age	Variable Name:Small for Gestational Age	Yes; No	NULL = No Response
85	BIRTH_WGT_UNIT	Char	Birth Weight Unit	Variable Name:Birth Weight	lbs kg Unknown	NULL = No Response
86	BIRTH_WGT_LB	Num	Birth Weight in Pounds (lbs)	Variable Name:Birth Weight		-99 = No Response
87	BIRTH_WGT_OZ	Num	Birth Weight in Ounces (oz)	Variable Name:Birth Weight		-99 = No Response
88	BIRTH_WGT_KG	Num	Birth Weight in Kilograms (kgs)	Variable Name:Birth Weight		-99 = No Response
89	BIRTH_HGT	Num	Birth Height/Length Value	Variable Name:Birth Length		-99 = No Response
90	BIRTH_HGT_UNIT	Char	Birth Height/Length Unit	Variable Name:Birth Length	cm in	NULL = No Response
91	HEAD_CIRC	Num	Head Circumference Value	Variable Name:Head Circumference		-99 = No Response
92	HEAD_CIRC_UNIT	Char	Head Circumference Unit	Variable Name:Head Circumference	cm in	NULL = No Response
93	BIRTH_LOCATION	Char	Location of Birth	Variable Name:Location of Birth	Inborn; Outborn	NULL = No Response
94	DELIVERY_MODE	Char	Mode of Delivery	Variable Name:Mode of Delivery	Vaginal Delivery Scheduled C-Section Unscheduled C-Section Unknown/Not Documented	NULL = No Response
95	APGAR_1MIN	Char	APGAR Score 1 Minute	Variable Name: Apgar Score 1 Minute	0-10; Unknown	NULL = No Response
96	APGAR_5MIN	Char	APGAR Score 5 Minutes	Variable Name: Apgar Score 5 Minutes	0-10; Unknown	NULL = No Response
97	PRSDM	Num	Preoperative Serum Sodium (mEq/L)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
98	DPRNA	Num	Days from Serum Sodium Preoperative Labs to Operation	* Days from Serum Sodium Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
99	PRBUN	Num	Preoperative BUN (mg/dL)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
100	DPRBUN	Num	Days from BUN Preoperative Labs to Operation	* Days from Blood Urea Nitrogen Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
101	PRCREAT	Num	Preoperative Serum Creatinine (mg/dL)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
102	DPRCREAT	Num	Days from Serum Creatinine Preoperative Labs to Operation	* Days from Serum Creatinine Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
103	PRALBUM	Num	Preoperative Albumin (g/dL)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
104	DPRALBUM	Num	Days from Albumin Preoperative Labs to Operation	* Days from Albumin Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
105	PRBILI	Num	Preoperative Total Bilirubin (mg/dL)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
106	DPRBILI	Num	Days from Total Bilirubin Preoperative Labs to Operation	* Days from Total Bilirubin Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
107	PRSGOT	Num	Preoperative AST/SGOT (U/L)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
108	DPRSGOT	Num	Days from AST/SGOT Preoperative Labs to Operation	* Days from AST/SGOT Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
109	PRALKPH	Num	Preoperative Alkaline Phosphatase (U/L)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
110	DPRALKPH	Num	Days from Alkaline Phosphatase Preoperative Labs to Operation	* Days from Alkaline Phosphatase Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
111	PRWBC	Num	Preoperative WBC (K/mm3)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
112	DPRWBC	Num	Days from WBC Preoperative Labs to Operation	* Days from White Blood Cell count Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
113	PRHCT	Num	Preoperative Hematocrit (%)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown

ACS NSQIP PEDIATRIC 2019 PUF USER GUIDE | OCTOBER 2020

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
114	DPRHCT	Num	Days from Hematocrit Preoperative Labs to Operation	* Days from Hematocrit Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
115	PRPLATE	Num	Preoperative Platelet Count (K/cumm)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
116	DPRPLATE	Num	Days from Platelet Count Preoperative Labs to Operation	* Days from Platelet Count Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
117	PRPT	Num	Preoperative Prothrombin Time (seconds)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
118	DPRPT	Num	Days from Prothrombin Time Preoperative Labs to Operation	* Days from Prothrombin Time Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
119	PRINR	Num	Preoperative INR	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
120	DPRINR	Num	Days from INR Preoperative Labs to Operation	* Days from INR Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
121	PRPTT	Num	Preoperative PTT (seconds)	Variable Name:Preoperative Labs		-99 = Lab value not obtained or Unknown
122	DPRPTT	Num	Days from PTT Preoperative Labs to Operation	* Days from PTT Preoperative Labs to Operation		-99 = Lab value not obtained or Unknown
123	CASETYPE	Char	Case Status	Variable Name:Case Status	Elective Urgent Emergent	NULL = No Response
124	WINDCLAS	Char	Wound Classification	Variable Name:Wound Classification	Clean Clean/Contaminated Contaminated Dirty/Infected	NULL = No Response
125	ASACLAS	Char	ASA Classification	Variable Name:ASA Classification	ASA 1 – Normal/Healthy ASA 2 – Mild Systemic Disease ASA 3 – Severe Systemic Disease ASA 4 – Severe Systemic Disease Threat ASA 5 – Moribund ASA Not Assigned	NULL = No Response
126	ANESURG	Num	Duration from Anesthesia Start to Surgery Start (min)	* Duration from Anesthesia Start to Surgery Start in minutes		-99 = No Response
127	SURGANE	Num	Duration from Surgery Stop to Anesthesia Stop (min)	* Duration from Surgery Stop to Anesthesia Stop in minutes		-99 = No Response
128	DPATRM	Num	Duration Patient is in Operating Room (min)	* Duration Patient is in Room in minutes		-99 = No Response
129	ANETIME	Num	Duration of Anesthesia (min)	* Duration of Anesthesia in minutes		-99 = No Response
130	OPTIME	Num	Total Operation Time (min)	* Total operation time in minutes		-99 = No Response
131	OTHERCPT1	Char	Other CPT Code 1	Variable Name:Other Procedures		NULL = No Procedure/No Response
132	OTHERPROC1	Char	Other Procedure Description - 1	Variable Name:Other Procedures		NULL = No Procedure/No Response
133	OTHERWRVU1	Num	Other Work Relative Value Unit 1	* Other Work Relative Value Unit 1		-99 = No Procedure/No Response
134	OTHERCPT2	Char	Other CPT Code 2	Variable Name:Other Procedures		NULL = No Procedure/No Response
135	OTHERPROC2	Char	Other Procedure Description - 2	Variable Name:Other Procedures		NULL = No Procedure/No Response
136	OTHERWRVU2	Num	Other Work Relative Value Unit 2	* Other Work Relative Value Unit 2		-99 = No Procedure/No Response
137	OTHERCPT3	Char	Other CPT Code 3	Variable Name:Other Procedures		NULL = No Procedure/No Response
138	OTHERPROC3	Char	Other Procedure Description - 3	Variable Name:Other Procedures		NULL = No Procedure/No Response
139	OTHERWRVU3	Num	Other Work Relative Value Unit 3	* Other Work Relative Value Unit 3		-99 = No Procedure/No Response
140	OTHERCPT4	Char	Other CPT Code 4	Variable Name:Other Procedures		NULL = No Procedure/No Response
141	OTHERPROC4	Char	Other Procedure Description - 4	Variable Name:Other Procedures		NULL = No Procedure/No Response
142	OTHERWRVU4	Num	Other Work Relative Value Unit 4	* Other Work Relative Value Unit 4		-99 = No Procedure/No Response
143	OTHERCPT5	Char	Other CPT Code 5	Variable Name:Other Procedures		NULL = No Procedure/No Response
144	OTHERPROC5	Char	Other Procedure Description - 5	Variable Name:Other Procedures		NULL = No Procedure/No Response
145	OTHERWRVU5	Num	Other Work Relative Value Unit 5	* Other Work Relative Value Unit 5		-99 = No Procedure/No Response
146	OTHERCPT6	Char	Other CPT Code 6	Variable Name:Other Procedures		NULL = No Procedure/No Response
147	OTHERPROC6	Char	Other Procedure Description - 6	Variable Name:Other Procedures		NULL = No Procedure/No Response
148	OTHERWRVU6	Num	Other Work Relative Value Unit 6	* Other Work Relative Value Unit 6		-99 = No Procedure/No Response
149	OTHERCPT7	Char	Other CPT Code 7	Variable Name:Other Procedures		NULL = No Procedure/No Response
150	OTHERPROC7	Char	Other Procedure Description - 7	Variable Name:Other Procedures		NULL = No Procedure/No Response
151	OTHERWRVU7	Num	Other Work Relative Value Unit 7	* Other Work Relative Value Unit 7		-99 = No Procedure/No Response

ACS NSQIP PEDIATRIC 2019 PUF USER GUIDE | OCTOBER 2020

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
152	OTHERCPT8	Char	Other CPT Code 8	Variable Name:Other Procedures		NULL = No Procedure/No Response
153	OTHERPROC8	Char	Other Procedure Description - 8	Variable Name:Other Procedures		NULL = No Procedure/No Response
154	OTHERWRVU8	Num	Other Work Relative Value Unit 8	* Other Work Relative Value Unit 8		-99 = No Procedure/No Response
155	OTHERCPT9	Char	Other CPT Code 9	Variable Name:Other Procedures		NULL = No Procedure/No Response
156	OTHERPROC9	Char	Other Procedure Description - 9	Variable Name:Other Procedures		NULL = No Procedure/No Response
157	OTHERWRVU9	Num	Other Work Relative Value Unit 9	* Other Work Relative Value Unit 9		-99 = No Procedure/No Response
158	OTHERCPT10	Char	Other CPT Code 10	Variable Name:Other Procedures		NULL = No Procedure/No Response
159	OTHERPROC10	Char	Other Procedure Description - 10	Variable Name:Other Procedures		NULL = No Procedure/No Response
160	OTHERWRVU10	Num	Other Work Relative Value Unit 10	* Other Work Relative Value Unit 10		-99 = No Procedure/No Response
161	CONCPT1	Char	Concurrent CPT 1	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
162	CONCURR1	Char	Concurrent Procedure Description - 1	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
163	CONWRVU1	Num	Concurrent Work Relative Value Unit 1	* Concurrent Work Relative Value Unit 1		-99 = No Procedure/No Response
164	CONCPT2	Char	Concurrent CPT 2	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
165	CONCURR2	Char	Concurrent Procedure Description - 2	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
166	CONWRVU2	Num	Concurrent Work Relative Value Unit 2	* Concurrent Work Relative Value Unit 2		-99 = No Procedure/No Response
167	CONCPT3	Char	Concurrent CPT 3	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
168	CONCURR3	Char	Concurrent Procedure Description - 3	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
169	CONWRVU3	Num	Concurrent Work Relative Value Unit 3	* Concurrent Work Relative Value Unit 3		-99 = No Procedure/No Response
170	CONCPT4	Char	Concurrent CPT 4	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
171	CONCURR4	Char	Concurrent Procedure Description - 4	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
172	CONWRVU4	Num	Concurrent Work Relative Value Unit 4	* Concurrent Work Relative Value Unit 4		-99 = No Procedure/No Response
173	CONCPT5	Char	Concurrent CPT 5	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
174	CONCURR5	Char	Concurrent Procedure Description - 5	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
175	CONWRVU5	Num	Concurrent Work Relative Value Unit 5	* Concurrent Work Relative Value Unit 5		-99 = No Procedure/No Response
176	CONCPT6	Char	Concurrent CPT 6	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
177	CONCURR6	Char	Concurrent Procedure Description - 6	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
178	CONWRVU6	Num	Concurrent Work Relative Value Unit 6	* Concurrent Work Relative Value Unit 6		-99 = No Procedure/No Response
179	CONCPT7	Char	Concurrent CPT 7	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
180	CONCURR7	Char	Concurrent Procedure Description - 7	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
181	CONWRVU7	Num	Concurrent Work Relative Value Unit 7	* Concurrent Work Relative Value Unit 7		-99 = No Procedure/No Response
182	CONCPT8	Char	Concurrent CPT 8	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
183	CONCURR8	Char	Concurrent Procedure Description - 8	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
184	CONWRVU8	Num	Concurrent Work Relative Value Unit 8	* Concurrent Work Relative Value Unit 8		-99 = No Procedure/No Response
185	CONCPT9	Char	Concurrent CPT 9	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
186	CONCURR9	Char	Concurrent Procedure Description - 9	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
187	CONWRVU9	Num	Concurrent Work Relative Value Unit 9	* Concurrent Work Relative Value Unit 9		-99 = No Procedure/No Response
188	CONCPT10	Char	Concurrent CPT 10	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
189	CONCURR10	Char	Concurrent Procedure Description - 10	Variable Name:Concurrent Procedures		NULL = No Procedure/No Response
190	CONWRVU10	Num	Concurrent Work Relative Value Unit 10	* Concurrent Work Relative Value Unit 10		-99 = No Procedure/No Response
191	PODIAG	Char	Postoperative Diagnosis (ICD 9)	Variable Name:Postoperative Diagnosis ICD Code		NULL = No Response
192	PODIAGTX	Char	Postoperative Diagnosis Text (ICD 9)	Variable Name:Postoperative Diagnosis ICD Code		NULL = No Response
193	PODIAG10	Char	Postoperative Diagnosis (ICD 10)	Variable Name:Postoperative Diagnosis ICD Code		NULL = No Response
194	PODIAGTX10	Char	Postoperative Diagnosis Text (ICD 10)	Variable Name:Postoperative Diagnosis ICD Code		NULL = No Response
195	HDISDT	Char	Hospital Discharge Year	Variable Name:Acute Hospital Discharge Date		NULL = No Response
196	DOptoDis	Num	Days from Operation to Discharge	* Days from Operation to Discharge		-99 = No Response
197	DISCHDEST	Char	Discharge Destination	Variable Name:Hospital Discharge Destination	Skilled care, not home Unskilled facility, not home Facility which was home Home Separate acute care Rehab Expired Unknown	NULL = No Response
198	TOTHLOS	Num	Length of Total Hospital Stay	* Length of total hospital stay		-99 = No Response
199	STILLINHOSP	Char	Still in Hospital > 30 Days	Variable Name:Still In Hospital > 30 Days	Yes	NULL = No Response

ACS NSQIP PEDIATRIC 2019 PUF USER GUIDE | OCTOBER 2020

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
200	OXYGEN_AT_DISCHARGE	Char	Oxygen at Discharge or at 30 Days	Variable Name:Oxygen at Discharge or at 30 Days	Yes; No	NULL = No Response
201	NUTRITION_AT_DISCHARGE	Char	Nutritional Requirement at Discharge or at 30 Days	Variable Name:Nutritional Requirement at Discharge or at 30 Days	Yes; No	NULL = No Response
202	DAYS_VENTILATION	Char	Total Days Mechanical Ventilation	Variable Name:Total Days Mechanical Ventilation	0-30	NULL = No Response
203	DEATH30YN	Char	Death in 30 Days	Variable Name:30-Day Mortality	Yes; No	NULL = No Response
204	YRDEATH	Char	Year of Death	Variable Name:Date of Death		NULL = No Response
205	DEATH30DTUNK	Char	Date of Death is Unknown	Variable Name:Date of Death	Yes	NULL = No Response
206	DOperToD	Num	Days from Operation to Death	* Days from Operation to Death		-99 = No Response
207	IO_CDARREST	Char	Intraoperative Occurrences CPR During Operation	Variable Name:CPR during operation	CPR during operation; No Complication	NULL = No Response
208	IO_UNPLANNEDEXTUB	Char	Intraoperative Occurrences Unplanned Extubation	Variable Name:Unplanned Extubation	Unplanned Extubation; No Complication	NULL = No Response
209	SUPINFEC	Char	Occurrences Superficial Incisional SSI	Variable Name:Superficial Incisional SSI	Superficial Incisional SSI; No Complication	NULL = No Response
210	NSUPINFEC	Num	Number of Superficial Incisional SSI Occurrences	* Number of Superficial Incisional SSI Occurrences		
211	DSUPINFEC	Num	Days from Operation until Superficial Incisional SSI Complication	* Days from Operation until Superficial Incisional SSI Complication		-99 = No Response
212	WINDINF	Char	Occurrences Deep Incisional SSI	Variable Name:Deep Incisional SSI	Deep Incisional SSI; No Complication	NULL = No Response
213	NWINDINF	Num	Number of Deep Incisional SSI Occurrences	* Number of Deep Incisional SSI Occurrences		
214	DWINDINF	Num	Days from Operation until Deep Incisional SSI Complication	* Days from Operation until Deep Incisional SSI Complication		-99 = No Response
215	ORGSPCSSI	Char	Occurrences Organ/Space SSI	Variable Name:Organ/Space SSI	Organ/Space SSI; No Complication	NULL = No Response
216	NORGSPCSSI	Num	Number of Organ/Space SSI Occurrences	* Number of Organ/Space SSI Occurrences		
217	DORGSPCSSI	Num	Days from Operation until Organ/Space SSI Complication	* Days from Operation until Organ/Space SSI Complication		-99 = No Response
218	DEHIS	Char	Occurrences Deep Wound Disruption/Dehiscence	Variable Name:Deep Wound Disruption/Dehiscence	Wound Disruption; No Complication	NULL = No Response
219	NDEHIS	Num	Number of Deep Wound Disruption/Dehiscence Occurrences	* Number of Deep Wound Disruption/Dehiscence Occurrences		
220	DDEHIS	Num	Days from Operation until Deep Wound Disruption/Dehiscence Complication	* Days from Operation until Deep Wound Disruption/Dehiscence Complication		-99 = No Response
221	OUPNEUMO	Char	Occurrences Pneumonia	Variable Name:Pneumonia	Pneumonia; No Complication	NULL = No Response
222	NOUPNEUMO	Num	Number of Pneumonia Occurrences	* Number of Pneumonia Occurrences		
223	DOUPNEUMO	Num	Days from Operation until Pneumonia Complication	* Days from Operation until Pneumonia Complication		-99 = No Response
224	REINTUB	Char	Occurrences Unplanned Intubation	Variable Name:Unplanned Intubation	Unplanned Intubation; No Complication	NULL = No Response
225	NREINTUB	Num	Number of Unplanned Intubation Occurrences	* Number of Unplanned Intubation Occurrences		
226	DREINTUB	Num	Days from Operation until Unplanned Intubation Complication	* Days from Operation until Unplanned Intubation Complication		-99 = No Response
227	RENAINSF	Char	Occurrences Progressive Renal Insufficiency	Variable Name:Progressive Renal Insufficiency	Progressive Renal Insufficiency; No Complication	NULL = No Response
228	NRENAINSF	Num	Number of Progressive Renal Insufficiency Occurrences	* Number of Progressive Renal Insufficiency Occurrences		
229	DRENAINSF	Num	Days from Operation until Progressive Renal Insufficiency Complication	* Days from Operation until Progressive Renal Insufficiency Complication		-99 = No Response
230	OPRENAFL	Char	Occurrences Acute Renal Failure	Variable Name:Acute Renal Failure	Acute Renal Failure; No Complication	NULL = No Response
231	NOPRENAFL	Num	Number of Acute Renal Failure Occurrences	* Number of Acute Renal Failure Occurrences		
232	DOPRENAFL	Num	Days from Operation until Acute Renal Failure Complication	* Days from Operation until Acute Renal Failure Complication		-99 = No Response
233	URNINFEC	Char	Occurrences Urinary Tract Infection	Variable Name:Urinary Tract Infection	Urinary Tract Infection; No Complication	NULL = No Response
234	NURNINFEC	Num	Number of Urinary Tract Infection Occurrences	* Number of Urinary Tract infection Occurrences		
235	DURNINFEC	Num	Days from Operation until Urinary Tract Infection Complication	* Days from Operation until Urinary Tract Infection Complication		-99 = No Response
236	CNSCOMA	Char	Coma > 24 Hours	Variable Name:Coma > 24 Hours	Coma >24 hours; No Complication	NULL = No Response
237	NCNSCOMA	Num	Number of Coma > 24 Hours Occurrences	* Number of Coma > 24 Hours Occurrences		
238	DCNSCOMA	Num	Days from Operation until Coma > 24 Hours Complication	* Days from Operation until Coma > 24 Hours Complication		-99 = No Response
239	CNSCVA	Char	CVA/Stroke or Intracranial Hemorrhage	Variable Name:Cerebral Vascular Accident/Stroke or Intracranial Hemorrhage	Stroke/CVA with neurological deficit; No Complication	NULL = No Response
240	NCNSCVA	Num	Number of CVA/Stroke or Intracranial Hemorrhage Occurrences	* Number of CVA/Stroke Occurrences		
241	DCNSCVA	Num	Days from Operation until CVA/Stroke or Intracranial Hemorrhage Complication	* Days from Operation until CVA/Stroke Complication		-99 = No Response

ACS NSQIP PEDIATRIC 2019 PUF USER GUIDE | OCTOBER 2020

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
242	CSZRE	Char	Seizure Disorder	Variable Name:Seizure	Seizure; No Complication	NULL = No Response
243	NSZRE	Num	Number of Seizure Occurrences	* Number of Seizure Occurrences		
244	DSZRE	Num	Days from Operation until Seizure Complication	* Days from Operation until Seizure complication		-99 = No Response
245	NEURODEF	Char	Nerve Injury	Variable Name:Nerve Injury (Peripheral)	Nerve Injury ; No Complication	NULL = No Response
246	NNEURODEF	Num	Number of Nerve Injury Occurrences	* Number of Nerve Injury Occurrences		
247	DNEURODEF	Num	Days from Operation until Nerve Injury Complication	* Days from Operation until Nerve Injury Complication		-99 = No Response
248	CIVHG1	Char	Occurrences IVH Grade 1	Variable Name:Neonatal Intraventricular Hemorrhage (IVH) Grade	IVH Grade 1; No Complication	NULL = No Response
249	NIVHG1	Num	Number of IVH Grade 1 Occurrences	* Number of IVH Grade 1 Occurrences		
250	DIVHG1	Num	Days from Operation until IVH Grade 1 Complication	* Days from Operation until IVH Grade 1 Complication		-99 = No Response
251	CIVHG2	Char	Occurrences IVH Grade 2	Variable Name:Neonatal Intraventricular Hemorrhage (IVH) Grade	IVH Grade 2; No Complication	NULL = No Response
252	NIVHG2	Num	Number of IVH Grade 2 occurrences	* Number of IVH Grade 2 Occurrences		
253	DIVHG2	Num	Days from Operation until IVH Grade 2 Complication	* Days from Operation until IVH Grade 2 Complication		-99 = No Response
254	CIVHG3	Char	Occurrences IVH Grade 3	Variable Name:Neonatal Intraventricular Hemorrhage (IVH) Grade	IVH Grade 3; No Complication	NULL = No Response
255	NIVHG3	Num	Number of IVH Grade 3 Occurrences	* Number of IVH Grade 3 Occurrences		
256	DIVHG3	Num	Days from Operation until IVH Grade 3 Complication	* Days from Operation until IVH Grade 3 Complication		-99 = No Response
257	CIVHG4	Char	Occurrences IVH Grade 4	Variable Name:Neonatal Intraventricular Hemorrhage (IVH) Grade	IVH Grade 4; No Complication	NULL = No Response
258	NIVHG4	Num	Number of IVH Grade 4 Occurrences	* Number of IVH Grade 4 Occurrences		
259	DIVHG4	Num	Days from Operation until IVH Grade 4 Complication	* Days from Operation until IVH Grade 4 Complication		-99 = No Response
260	CIVHUNK	Char	Occurrences IVH Grade Unknown	Variable Name:Neonatal Intraventricular Hemorrhage (IVH) Grade	Unknown/Specific grade not documented; No Complication	NULL = No Response
261	NIVHUNK	Num	Number of IVH Grade Unknown Occurrences	* Number of IVH Grade Unknown Occurrences		
262	DIVHUNK	Num	Days from Operation until IVH Grade Unknown Complication	* Days from Operation until IVH Grade Unknown Complication		-99 = No Response
263	CDARREST	Char	Occurrences Cardiac Arrest Requiring CPR	Variable Name:Cardiac Arrest Requiring CPR	Cardiac Arrest Requiring CPR; No Complication	NULL = No Response
264	NCDARREST	Num	Number of Cardiac Arrest Requiring CPR Occurrences	* Number of Cardiac Arrest Requiring CPR Occurrences		
265	DCDARREST	Num	Days from Operation until Cardiac Arrest Requiring CPR Complication	* Days from Operation until Cardiac Arrest Requiring CPR Complication		-99 = No Response
266	OTHBLEED	Char	Occurrences Bleeding/Transfusion	Variable Name:Blood Transfusion	Bleeding/Transfusions; No Complication	NULL = No Response
267	NOTHBLEED	Num	Number of Bleeding/Transfusion Occurrences	* Number of Bleeding/Transfusion Occurrences		
268	DOTHBLEED	Num	Days from Operation until Bleeding/Transfusion Complication	* Days from Operation until Bleeding/Transfusion Complication		-99 = No Response
269	BLEED_ML_TOT	Num	Total Blood Transfused (mL)	* Total blood (in mls) transfused during bleeding complications		-99 = No Response
270	BLEEDING_ML1	Num	Blood Used in Transfusion 1 (mL)	Variable Name:Blood Transfusion		-99 = No Response
271	BLEEDING_ML2	Num	Blood Used in Transfusion 2 (mL)	Variable Name:Blood Transfusion		-99 = No Response
272	BLEEDING_ML3	Num	Blood Used in Transfusion 3 (mL)	Variable Name:Blood Transfusion		-99 = No Response
273	BLEEDING_ML4	Num	Blood Used in Transfusion 4 (mL)	Variable Name:Blood Transfusion		-99 = No Response
274	BLEEDING_ML5	Num	Blood Used in Transfusion 5 (mL)	Variable Name:Blood Transfusion		-99 = No Response
275	OTHVT	Char	Occurrences VT	Variable Name:Vein Thrombosis Requiring Therapy	VT Requiring Therapy; No Complication	NULL = No Response
276	NOTHVT	Num	Number of VT Occurrences	* Number of VT Occurrences		
277	DOTHVT	Num	Days from Operation until VT Complication	* Days from Operation until VT Complication		-99 = No Response
278	OTHCDIFF	Char	Occurrence of C.diff Colitis	Variable Name:C.diff Colitis	C.diff; No Complication	NULL = No Response
279	NOTHCDIFF	Num	Number of C.diff Colitis	* Number of C.diff Colitis Occurrences		
280	DOTHCDIFF	Num	Days from Operation until C.diff Colitis Complication	* Days from Operation until C.diff Colitis Complication		-99 = No Response
281	OTHSYSEP	Char	Occurrences Sepsis	Variable Name:Postoperative Systemic Sepsis	Systemic Sepsis; No Complication	NULL = No Response
282	NOTHSYSEP	Num	Number of Sepsis Occurrences	* Number of Sepsis Occurrences		
283	DOTHSYSEP	Num	Days from Operation until Sepsis Complication	* Days from Operation until Sepsis Complication		-99 = No Response
284	OTHSESHOCK	Char	Occurrences Septic Shock	Variable Name:Postoperative Septic Shock	Septic Shock; No Complication	NULL = No Response
285	NOTHSESHOCK	Num	Number of Septic Shock Occurrences	* Number of Septic Shock Occurrences		
286	DOTHSESHOCK	Num	Days from Operation until Septic Shock Complication	* Days from Operation until Septic Shock Complication		-99 = No Response

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
287	OTHCLAB	Char	Occurrences CL Associated Bloodstream Infection	Variable Name:Central-Line Associated Bloodstream Infection	CL Associated Bloodstream Infection; No Complication	NULL = No Response
288	NOTHCLAB	Num	Number of CL Associated Bloodstream Infection Occurrences	* Number of CL Associated Bloodstream Infection Occurrences		
289	DOTHCLAB	Num	Days from Operation until CL Associated Bloodstream Infection Complication	* Days from Operation until CL Associated Bloodstream Infection		-99 = No Response
290	READMISSION1	Char	Any Readmission 1	Variable Name:30-Day Readmission	Yes	NULL = No Response
291	READMPODAYS1	Num	Days from Operation to Any Readmission 1	* Days from primary procedure to Any Readmission 1		-99 = No Response
292	UNPLANNEDREADMISSION1	Char	Unplanned Readmission 1	Variable Name:30-Day Readmission	Yes; No	NULL = No Response
293	READMRELATED1	Char	Related Readmission 1	Variable Name:30-Day Readmission	Yes; No	NULL = No Response
294	READMREASON1	Char	Primary Suspected Reason for Readmission 1	Variable Name:30-Day Readmission	Superficial Incisional SSI Deep Incisional SSI Organ/Space SSI Deep Wound Disruption/Dehiscence Pneumonia Unplanned Intubation Progressive Renal Insufficiency Acute Renal Failure Urinary Tract Infection Coma > 24 hours Cerebral Vascular Accident/Stroke or Intracranial Hemorrhage Seizure Nerve Injury Neonatal IVH Grade 1 Neonatal IVH Grade 2 Neonatal IVH Grade 3 Neonatal IVH Grade 4 Neonatal IVH Grade unknown/Specific Grade not documented Cardiac Arrest Requiring CPR Blood Transfusion Venous Thrombosis requiring Therapy C.diff Colitis Postoperative Systemic Sepsis Septic Shock Central-Line Associated Bloodstream Infection Other (ICD9 code) Other (ICD 10 code)	NULL = No Response
295	READMRELICD91	Char	Readmission Related ICD-9 Code 1	Variable Name:30-Day Readmission		NULL = No Response
296	READMUNRELICD91	Char	Readmission Unrelated ICD-9 Code 1	Variable Name:30-Day Readmission		NULL = No Response
297	READMRELICD101	Char	Readmission Related ICD-10 Code 1	Variable Name:30-Day Readmission		NULL = No Response
298	READMUNRELICD101	Char	Readmission Unrelated ICD-10 Code 1	Variable Name:30-Day Readmission		NULL = No Response
299	READMISSION2	Char	Any Readmission 2	Variable Name:30-Day Readmission	Yes	NULL = No Response
300	READMPODAYS2	Num	Days from Operation to Any Readmission 2	* Days from primary procedure to Any Readmission 2		-99 = No Response
301	UNPLANNEDREADMISSION2	Char	Unplanned Readmission 2	Variable Name:30-Day Readmission	Yes; No	NULL = No Response
302	READMRELATED2	Char	Related Readmission 2	Variable Name:30-Day Readmission	Yes; No	NULL = No Response
303	READMREASON2	Char	Primary Suspected Reason for Readmission 2	Variable Name:30-Day Readmission	See 'Primary Suspected Reason for Readmission 1'	NULL = No Response
304	READMRELICD92	Char	Readmission Related ICD-9 Code 2	Variable Name:30-Day Readmission		NULL = No Response
305	READMUNRELICD92	Char	Readmission Unrelated ICD-9 Code 2	Variable Name:30-Day Readmission		NULL = No Response
306	READMRELICD102	Char	Readmission Related ICD-10 Code 2	Variable Name:30-Day Readmission		NULL = No Response
307	READMUNRELICD102	Char	Readmission Unrelated ICD-10 Code 2	Variable Name:30-Day Readmission		NULL = No Response
308	READMISSION3	Char	Any Readmission 3	Variable Name:30-Day Readmission	Yes	NULL = No Response
309	READMPODAYS3	Num	Days from Operation to Any Readmission 3	* Days from primary procedure to Any Readmission 3		-99 = No Response
310	UNPLANNEDREADMISSION3	Char	Unplanned Readmission 3	Variable Name:30-Day Readmission	Yes; No	NULL = No Response
311	READMRELATED3	Char	Related Readmission 3	Variable Name:30-Day Readmission	Yes; No	NULL = No Response



ACS NSQIP PEDIATRIC 2019 PUF USER GUIDE | OCTOBER 2020

Position #	Variable Name	Data Type	Variable Label	Search Term in Chapter 4	Variable Options	Comments
				Notes: Please search exactly as stated * Variables not included in Chapter 4		
312	READMREASON3	Char	Primary Suspected Reason for Readmission 3	Variable Name:30-Day Readmission	See 'Primary Suspected Reason for Readmission 1'	NULL = No Response
313	READMRELICD93	Char	Readmission Related ICD-9 Code 3	Variable Name:30-Day Readmission		NULL = No Response
314	READMUNRELICD93	Char	Readmission Unrelated ICD-9 Code 3	Variable Name:30-Day Readmission		NULL = No Response
315	READMRELICD103	Char	Readmission Related ICD-10 Code 3	Variable Name:30-Day Readmission		NULL = No Response
316	READMUNRELICD103	Char	Readmission Unrelated ICD-10 Code 3	Variable Name:30-Day Readmission		NULL = No Response
317	READMISSION4	Char	Any Readmission 4	Variable Name:30-Day Readmission	Yes	NULL = No Response
318	READMPODAYS4	Num	Days from Operation to Any Readmission 4	* Days from primary procedure to Any Readmission 4		-99 = No Response
319	UNPLANNEDREADMISSION4	Char	Unplanned Readmission 4	Variable Name:30-Day Readmission	Yes; No	NULL = No Response
320	READMRELATED4	Char	Related Readmission 4	Variable Name:30-Day Readmission	Yes; No	NULL = No Response
321	READMREASON4	Char	Primary Suspected Reason for Readmission 4	Variable Name:30-Day Readmission	See 'Primary Suspected Reason for Readmission 1'	NULL = No Response
322	READMRELICD94	Char	Readmission Related ICD-9 Code 4	Variable Name:30-Day Readmission		NULL = No Response
323	READMUNRELICD94	Char	Readmission Unrelated ICD-9 Code 4	Variable Name:30-Day Readmission		NULL = No Response
324	READMRELICD104	Char	Readmission Related ICD-10 Code 4	Variable Name:30-Day Readmission		NULL = No Response
325	READMUNRELICD104	Char	Readmission Unrelated ICD-10 Code 4	Variable Name:30-Day Readmission		NULL = No Response
326	READMISSION5	Char	Any Readmission 5	Variable Name:30-Day Readmission	Yes	NULL = No Response
327	READMPODAYS5	Num	Days from Operation to Any Readmission 5	* Days from primary procedure to Any Readmission 5		-99 = No Response
328	UNPLANNEDREADMISSION5	Char	Unplanned Readmission 5	Variable Name:Hospital Readmission	Yes; No	NULL = No Response
329	READMRELATED5	Char	Related Readmission 5	Variable Name:Hospital Readmission	Yes; No	NULL = No Response
330	READMREASON5	Char	Primary Suspected Reason for Readmission 5	Variable Name:Hospital Readmission	See 'Readmission Related Suspected Reason 1'	NULL = No Response
331	READMRELICD95	Char	Readmission Related ICD-9 Code 5	Variable Name:Hospital Readmission		NULL = No Response
332	READMUNRELICD95	Char	Readmission Unrelated ICD-9 Code 5	Variable Name:Hospital Readmission		NULL = No Response
333	READMRELICD105	Char	Readmission Related ICD-10 Code 5	Variable Name:Hospital Readmission		NULL = No Response
334	READMUNRELICD105	Char	Readmission Unrelated ICD-10 Code 5	Variable Name:Hospital Readmission		NULL = No Response
335	REOPERATION	Char	Unplanned Reoperation 1	Variable Name:30-Day Unplanned Return to OR	Yes	NULL = No Response
336	RETORPODAYS	Num	Days from Operation to Unplanned Reoperation 1	* Days from operation to Unplanned Reoperation 1		-99 = No Response
337	REOPORCPT1	Char	Unplanned Reoperation 1 CPT	Variable Name:30-Day Unplanned Return to OR		NULL = No Response
338	RETORRELATED	Char	Related Unplanned Reoperation 1	Variable Name:30-Day Unplanned Return to OR	Yes; No	NULL = No Response
339	REOPORICD91	Char	Unplanned Reoperation 1 ICD-9 Code	Variable Name:30-Day Unplanned Return to OR		NULL = No Response
340	REOPORICD101	Char	Unplanned Reoperation 1 ICD-10 Code	Variable Name:30-Day Unplanned Return to OR		NULL = No Response
341	REOPERATION2	Char	Unplanned Reoperation 2	Variable Name:30-Day Unplanned Return to OR	Yes	NULL = No Response
342	RETOR2PODAYS	Num	Days from Operation to Unplanned Reoperation 2	* Days from operation to Unplanned Reoperation 2		-99 = No Response
343	REOPOR2CPT1	Char	Unplanned Reoperation 2 CPT	Variable Name:30-Day Unplanned Return to OR		NULL = No Response
344	RETOR2RELATED	Char	Related Unplanned Reoperation 2	Variable Name:30-Day Unplanned Return to OR	Yes; No	NULL = No Response
345	REOPOR2ICD91	Char	Unplanned Reoperation 2 ICD-9 Code	Variable Name:30-Day Unplanned Return to OR		NULL = No Response
346	REOPOR2ICD101	Char	Unplanned Reoperation 2 ICD-10 Code	Variable Name:30-Day Unplanned Return to OR		NULL = No Response
347	REOPERATION3	Char	More than 2 Unplanned Reoperations	Variable Name:30-Day Unplanned Return to OR	Yes	NULL = No Response

